

# COMPANY PROFILE

Zhuoli lighting, is well known as a professional supplier in the design and manufacture of high quality outdoor lighting and commercial lighting fixtures. The company was established in 1998 in Zhongshan city, the center of China Lighting market. The mission of the company is to deliver environmentally-friendly products to our customers in the best quality and competitive price. In Zhuoli lighting, we believe in the principle of "Quality is the life of a company" and the philosophy of "Customer-oriented" to achieve mutual trust with customers. We hope to be the best supplier of LED lighting for professional lighting designers and our existing and potential customers.

Zhuoli lighting has a strong R&D team with more than 10 years of experience in the lighting industry. The R&D team have deeply devoted themselves to develop new technology and improve the quality of the product to satisfy our customers. Each year we offer different range of new products to our customers that meets the market's needs. All of the products have been approved by CE, RoHS, ISO9001, etc.

Our product is achieving impressive and rapidly growing sales in many countries across Europe, the Asia-Pacific Region, the Middle East, South America, Africa and the Oceania.

The mission of Zhuoli lighting is to offer high energy-efficient lighting in best quality and competitive price. We welcome customers all over the world to visit our company. We're looking forward to cooperate with you.

## workshop:



# Qualification







## LED PANEL LAMP

### Description

The LED panel lamp is a lamp with LED patch embedded on both sides of the aluminum alloy frame and evenly distributed light through diffusion plate. All have according to convenient, beautiful, high efficiency energy-saving, illuminant life is long, reduce operation and maintenance cost greatly wait for a characteristic. Use place includes school, office building, business hall, supermarket, library, hospital and so on.


### Description

The LED panel lamp is a lamp with LED patch embedded on both sides of the aluminum alloy frame and evenly distributed light through diffusion plate. All have according to convenient, beautiful, high efficiency energy-saving, illuminant life is long, reduce operation and maintenance cost greatly wait for a characteristic. Use place includes school, office building, business hall, supermarket, library, hospital and so on.




WATT(W)	SIZE(mm)	CUTOUT(mm)	PF
3W	85 × 85	75 × 75	0.5-0.9
4W	105 × 105	90 × 90	0.5-0.9
6W	120 × 120	108 × 108	0.5-0.9
9W	145 × 145	135 × 135	0.5-0.9
12W	170 × 170	158 × 158	0.5-0.9
15W	190 × 190	175 × 175	0.5-0.9
18W	220 × 220	205 × 205	0.5-0.9
24W	295 × 295	282 × 282	0.5-0.9

### SIZE FIGURE



WATT(W)	SIZE(mm)	PF
6W	110 × 110 × 28	0.5-0.9
12W	160 × 160 × 28	0.5-0.9
18W	200 × 200 × 28	0.5-0.9
24W	285 × 285 × 28	0.5-0.9

### SIZE FIGURE



ZLP-1001R



ZLP-1001S



ZLP-1002R



ZLP-1002S





### Description

The LED panel lamp is a lamp with LED patch embedded on both sides of the aluminum alloy frame and evenly distributed light through diffusion plate. All have according to convenient, beautiful, high efficiency energy-saving, illuminant life is long, reduce operation and maintenance cost greatly wait for a characteristic. Use place includes school, office building, business hall, supermarket, library, hospital and so on.




WATT(W)	SIZE(mm)	CUTOUT(mm)	PF
6W	90 × 90	80 × 80	0.5-0.9
12W	145 × 145	135 × 135	0.5-0.9
18W	175 × 175	165 × 165	0.5-0.9
24W	225 × 225	215 × 215	0.5-0.9

#### SIZE FIGURE



WATT(W)	SIZE(mm)	PF
6W	95 × 95 × H35	0.5-0.9
12W	150 × 150 × H35	0.5-0.9
18W	180 × 180 × H35	0.5-0.9
24W	230 × 230 × H35	0.5-0.9

#### SIZE FIGURE



ZLP-1007R

ZLP-1007S



ZLP-1008R

ZLP-1008S


### Description

The LED panel lamp is a lamp with LED patch embedded on both sides of the aluminum alloy frame and evenly distributed light through diffusion plate. All have according to convenient, beautiful, high efficiency energy-saving, illuminant life is long, reduce operation and maintenance cost greatly wait for a characteristic. Use place includes school, office building, business hall, supermarket, library, hospital and so on.



WATT(W)	SIZE(mm)	CUTOUT(mm)	PF
6W	100 × 100	40 × 40-70 × 70	0.5-0.9
8W	118 × 118	45 × 45-80 × 80	0.5-0.9
15W	175 × 175	45 × 45-130 × 130	0.5-0.9
20W	230 × 230	45 × 45-130 × 130	0.5-0.9

#### SIZE FIGURE




ZLP-1009R

ZLP-1009S

WATT(W)	SIZE(mm)	PF
12W	120 × 120 × H37	0.5-0.9
18W	175 × 175 × H37	0.5-0.9
24W	225 × 225 × H37	0.5-0.9

#### SIZE FIGURE



ZLP-1010R

ZLP-1010S




### Description

The LED panel lamp is a lamp with LED patch embedded on both sides of the aluminum alloy frame and evenly distributed light through diffusion plate. All have according to convenient, beautiful, high efficiency energy-saving, illuminant life is long, reduce operation and maintenance cost greatly wait for a characteristic. Use place includes school, office building, business hall, supermarket, library, hospital and so on.



WATT(W)	SIZE(mm)	CUTOUT(mm)	PF
6W	95 × 95	75 × 75	0.5-0.9
9W	120 × 120	95 × 95	0.5-0.9
12W	160 × 160	125 × 125	0.5-0.9
18W	200 × 200	170 × 170	0.5-0.9
24W	240 × 240	207 × 207	0.5-0.9

#### SIZE FIGURE



WATT(W)	SIZE(mm)	CUTOUT(mm)	PF
6W	90 × 90	75 × 75	0.5-0.9
12W	120 × 120	105 × 105	0.5-0.9
18W	170 × 170	155 × 155	0.5-0.9
24W	220 × 220	205 × 205	0.5-0.9

#### SIZE FIGURE



ZLP-1011R

ZLP-1011S



ZLP-1014R

ZLP-1014S


### Description

The LED panel lamp is a lamp with LED patch embedded on both sides of the aluminum alloy frame and evenly distributed light through diffusion plate. All have according to convenient, beautiful, high efficiency energy-saving, illuminant life is long, reduce operation and maintenance cost greatly wait for a characteristic. Use place includes school, office building, business hall, supermarket, library, hospital and so on.




WATT(W)	SIZE(mm)	CUTOUT(mm)	PF
5W	86 × 86	75 × 75	0.5-0.9
9W	120 × 120	107 × 107	0.5-0.9
12W	150 × 150	135 × 135	0.5-0.9
18W	170 × 170	158 × 158	0.5-0.9
24W	223 × 223	210 × 210	0.5-0.9

#### SIZE FIGURE



WATT(W)	SIZE(mm)	CUTOUT(mm)	PF
5W	90 × 90	75 × 75	0.5-0.9
9W	120 × 120	105 × 105	0.5-0.9
12W	140 × 140	125 × 125	0.5-0.9
16W	170 × 170	155 × 155	0.5-0.9
22W	220 × 220	205 × 205	0.5-0.9

#### SIZE FIGURE



ZLP-1015R

ZLP-1015S



ZLP-1016R

ZLP-1016S



### Description

The LED panel lamp is a lamp with LED patch embedded on both sides of the aluminum alloy frame and evenly distributed light through diffusion plate. All have according to convenient, beautiful, high efficiency energy-saving, illuminant life is long, reduce operation and maintenance cost greatly wait for a characteristic. Use place includes school, office building, business hall, supermarket, library, hospital and so on.



WATT(W)	SIZE(mm)	PF
8W	120 × H24	0.5-0.9
16W	170 × H24	0.5-0.9
20W	225 × H24	0.5-0.9
24W	300 × H24	0.5-0.9

#### SIZE FIGURE



WATT(W)	SIZE(mm)	PF
15W	200 × 100 × H55	0.5-0.9
20W	230 × 105 × H55	0.5-0.9
15W	Φ 176 × H55	0.5-0.9
20W	Φ 211 × H55	0.5-0.9

#### SIZE FIGURE




### Description

The LED panel lamp is a lamp with LED patch embedded on both sides of the aluminum alloy frame and evenly distributed light through diffusion plate. All have according to convenient, beautiful, high efficiency energy-saving, illuminant life is long, reduce operation and maintenance cost greatly wait for a characteristic. Use place includes school, office building, business hall, supermarket, library, hospital and so on.



WATT(W)	SIZE(mm)	PF
6W	100 × 100	0.5-0.9
8W	118 × 118	0.5-0.9
15W	175 × 175	0.5-0.9
20W	230 × 230	0.5-0.9

#### SIZE FIGURE



WATT(W)	SIZE(mm)	PF
36W	240 × 120 × H25	0.5-0.9

#### SIZE FIGURE



ZLP-1023R



ZLP-1023S



ZLP-1028R



ZLP-1029R



ZLP-1030R



ZLP-1031R





### Description

The LED double color lamp is a lamp with LED patch embedded on both sides of the aluminum alloy frame and evenly distributed light through diffusion plate. All have according to convenient, beautiful, high efficiency energy-saving, illuminant life is long, reduce operation and maintenance cost greatly wait for a characteristic. Use place includes school, office building, business hall, supermarket, library, hospital and so on.



WATT(W)	SIZE(mm)	CUTOUT(mm)	PF
3+3W	105 × 105	75 × 75	0.5-0.9
6+3W	145 × 145	110 × 110	0.5-0.9
12+4W	195 × 195	155 × 155	0.5-0.9
18+6W	245 × 245	205 × 205	0.5-0.9

### SIZE FIGURE



WATT(W)	SIZE(mm)	CUTOUT(mm)	PF
3+3W	105 × 105	75 × 75	0.5-0.9
6+3W	145 × 145	105 × 105	0.5-0.9
12+4W	195 × 195	155 × 155	0.5-0.9
18+6W	245 × 245	205 × 205	0.5-0.9

### SIZE FIGURE




### Description

The LED panel lamp is a lamp with LED patch embedded on both sides of the aluminum alloy frame and evenly distributed light through diffusion plate. All have according to convenient, beautiful, high efficiency energy-saving, illuminant life is long, reduce operation and maintenance cost greatly wait for a characteristic. Use place includes school, office building, business hall, supermarket, library, hospital and so on.



WATT(W)	SIZE(mm)	CUTOUT(mm)	PF
6W	120x14	55-80	0.5-0.9
12W	167x14	55-125	0.5-0.9
18W	217x14	55-170	0.5-0.9
24W	294x14	55-240	0.5-0.9

### SIZE FIGURE



ZLP-1032R



ZLP-2001R



ZLP-2001S



ZLP-2003R



ZLP-2003S



### Description

The LED double color lamp is a lamp with LED patch embedded on both sides of the aluminum alloy frame and evenly distributed light through diffusion plate. All have according to convenient, beautiful, high efficiency energy-saving, illuminant life is long, reduce operation and maintenance cost greatly wait for a characteristic. Use place includes school, office building, business hall, supermarket, library, hospital and so on.

ZL-1201



ZLP-2004R



ZLP-2004S




WATT(W)	SIZE(mm)	CUTOUT(mm)	PF
3+3W	105 × 105	75 × 75	0.5-0.9
6+3W	140 × 140	105 × 105	0.5-0.9
12+4W	190 × 190	155 × 155	0.5-0.9
18+6W	240 × 240	205 × 205	0.5-0.9

#### SIZE FIGURE



WATT(W)	SIZE(mm)	CUTOUT(mm)	PF
3+3W	105 × 105	75 × 75	0.5-0.9
6+3W	145 × 145	110 × 110	0.5-0.9
12+4W	190 × 190	155 × 155	0.5-0.9
18+6W	240 × 240	205 × 205	0.5-0.9

#### SIZE FIGURE



### Description

The LED double color lamp is a lamp with LED patch embedded on both sides of the aluminum alloy frame and evenly distributed light through diffusion plate. All have according to convenient, beautiful, high efficiency energy-saving, illuminant life is long, reduce operation and maintenance cost greatly wait for a characteristic. Use place includes school, office building, business hall, supermarket, library, hospital and so on.




WATT(W)	SIZE(mm)	CUTOUT(mm)	PF
3+3W	Φ 120	Φ 75	0.5-0.9
6+3W	Φ 160	Φ 105	0.5-0.9
12+4W	Φ 205	Φ 155	0.5-0.9
18+6W	Φ 255	Φ 210	0.5-0.9

#### SIZE FIGURE



WATT(W)	SIZE(mm)	CUTOUT(mm)	PF
3+3W	Φ 120	Φ 75	0.5-0.9
6+3W	Φ 160	Φ 105	0.5-0.9
12+4W	Φ 205	Φ 155	0.5-0.9
18+6W	Φ 255	Φ 210	0.5-0.9

#### SIZE FIGURE



ZLP-2006R

ZLP-2007R



ZLP-2008R

ZLP-2009R





## LED HUGE PANEL LAMP

### Description

The LED huge panel lamp is a lamp with LED patch embedded on both sides of the aluminum alloy frame and evenly distributed light through diffusion plate. All have according to convenient, beautiful, high efficiency energy-saving, illuminant life is long, reduce operation and maintenance cost greatly wait for a characteristic. Use place includes school, office building, business hall, supermarket, library, hospital and so on.



WATT(W)	SIZE(mm)	PF
32W	Φ 400	0.5-0.9
36W	Φ 500	0.5-0.9
48W	Φ 600	0.5-0.9

### SIZE FIGURE



ZLP-1002R




### Description

The LED huge panel lamp is a lamp with LED patch embedded on both sides of the aluminum alloy frame and evenly distributed light through diffusion plate. All have according to convenient, beautiful, high efficiency energy-saving, illuminant life is long, reduce operation and maintenance cost greatly wait for a characteristic. Use place includes school, office building, business hall, supermarket, library, hospital and so on.



WATT(W)	SIZE(mm)	PF
36W	600 × 600	0.5-0.9


### SIZE FIGURE



ZLP-6060C1



ZLP-6060C2



ZLP-1002S

WATT(W)	SIZE(mm)	PF
32W	400 × 400	0.5-0.9
36W	500 × 500	0.5-0.9
48W	600 × 600	0.5-0.9

### SIZE FIGURE





### Description

The LED huge panel lamp is a lamp with LED patch embedded on both sides of the aluminum alloy frame and evenly distributed light through diffusion plate. All have according to convenient, beautiful, high efficiency energy-saving, illuminant life is long, reduce operation and maintenance cost greatly wait for a characteristic. Use place includes school, office building, business hall, supermarket, library, hospital and so on.



ITEM No.	WATT(W)	SIZE(mm)	PF
ZLP3030P	12W	300 × 300	0.5-0.9
ZLP3030P	16W	300 × 300	0.5-0.9
ZLP3030P	20W	300 × 300	0.5-0.9
ZLP3060P	24W	300 × 600	0.5-0.9
ZLP3060P	36W	300 × 600	0.5-0.9
ZLP6060P	36W	600 × 600	0.5-0.9
ZLP6060P	40W	600 × 600	0.5-0.9
ZLP6060P	48W	600 × 600	0.5-0.9
ZLP30120P	36W	300 × 1200	0.5-0.9
ZLP30120P	48W	300 × 1200	0.5-0.9
ZLP60120P	72W	600 × 1200	0.5-0.9



### SIZE FIGURE



### Description



The LED huge panel lamp is a lamp with LED patch embedded on both sides of the aluminum alloy frame and evenly distributed light through diffusion plate. All have according to convenient, beautiful, high efficiency energy-saving, illuminant life is long, reduce operation and maintenance cost greatly wait for a characteristic. Use place includes school, office building, business hall, supermarket, library, hospital and so on.



ITEM No.	WATT(W)	SIZE(mm)	PF
ZLP3030P	12W	300 × 300	0.5-0.9
ZLP3030P	16W	300 × 300	0.5-0.9
ZLP3030P	20W	300 × 300	0.5-0.9
ZLP3060P	24W	300 × 600	0.5-0.9
ZLP3060P	36W	300 × 600	0.5-0.9
ZLP6060P	36W	600 × 600	0.5-0.9
ZLP6060P	40W	600 × 600	0.5-0.9
ZLP6060P	48W	600 × 600	0.5-0.9
ZLP30120P	36W	300 × 1200	0.5-0.9
ZLP30120P	48W	300 × 1200	0.5-0.9
ZLP60120P	72W	600 × 1200	0.5-0.9



### SIZE FIGURE





## LED DOWN LAMP

### Description

Beam Angle: 12° , 24° , 40° is suitable for different scenarios of light distribution.

Light source: COB color rendering: 85/95

Level: 355° ,90° vertical adjustment, can meet the needs of all-round project.

Material: aluminum profile high heat conduction lamp body, optical PC aluminum cup integral lens

Applicable to: furniture stores, high-end clothing, jewelry, chain stores and other key lighting places.



### Description

Beam Angle: 12° , 24° , 40° is suitable for different scenarios of light distribution.

Light source: COB color rendering: 85/95

Level: 355° ,90° vertical adjustment, can meet the needs of all-round project.

Material: aluminum profile high heat conduction lamp body, optical PC aluminum cup integral lens

Applicable to: furniture stores, high-end clothing, jewelry, chain stores and other key lighting places.



ZLD-1001



ZLD-1002

WATT(W)	SIZE(mm)	CUTOUT(mm)	PF
3W	Φ98 × 43	Φ70	0.5-0.9
5W	Φ109 × 47	Φ78	0.5-0.9
7W	Φ119 × 47	Φ87	0.5-0.9
10W	Φ142 × 53	Φ107	0.5-0.9
15W	Φ172 × 56	Φ144	0.5-0.9
20W	Φ193 × 59	Φ156	0.5-0.9
30W	Φ233 × 63	Φ200	0.5-0.9

### SIZE FIGURE



WATT(W)	SIZE(mm)	CUTOUT(mm)	PF
30W	Φ228 × 75	Φ190	0.5-0.9

### SIZE FIGURE





### Description

Beam Angle: 12°, 24°, 40° is suitable for different scenarios of light distribution.

Light source: COB color rendering: 85/95

Level: 355°, 90° vertical adjustment, can meet the needs of all-round project.

Material: aluminum profile high heat conduction lamp body, optical PC aluminum cup integral lens

Applicable to: furniture stores, high-end clothing, jewelry, chain stores and other key lighting places.



ZLD-1003



ZLD-1004




WATT(W)	SIZE(mm)	CUTOUT(mm)	PF
5W	Φ 115 × 50	Φ 95	0.5-0.9
10W	Φ 144 × 63	Φ 127	0.5-0.9
15W	Φ 160 × 60	Φ 140	0.5-0.9
20W	Φ 190 × 60	Φ 160	0.5-0.9
30W	Φ 230 × 78	Φ 195	0.5-0.9

#### SIZE FIGURE



WATT(W)	SIZE(mm)	CUTOUT(mm)	PF
10W	Φ 114 × 61	Φ 95	0.5-0.9
15W	Φ 136 × 72	Φ 115	0.5-0.9
20W	Φ 175 × 87	Φ 145	0.5-0.9
30W	Φ 195 × 95	Φ 165	0.5-0.9
50W	Φ 220 × 112	Φ 190	0.5-0.9

#### SIZE FIGURE



### Description

Beam Angle: 12°, 24°, 40° is suitable for different scenarios of light distribution.

Light source: COB color rendering: 85/95

Level: 355°, 90° vertical adjustment, can meet the needs of all-round project.

Material: aluminum profile high heat conduction lamp body, optical PC aluminum cup integral lens

Applicable to: furniture stores, high-end clothing, jewelry, chain stores and other key lighting places.



ZLD-1005



ZLD-1007



WATT(W)	SIZE(mm)	CUTOUT(mm)	PF
30W	Φ 190 × 123	Φ 160	0.5-0.9

#### SIZE FIGURE



WATT(W)	SIZE(mm)	CUTOUT(mm)	PF
20W	165 × 165 × H73	Φ 145	0.5-0.9

#### SIZE FIGURE



### Description

Beam Angle: 12°, 24°, 40° is suitable for different scenarios of light distribution.

Light source: COB color rendering: 85/95

Level: 355°, 90° vertical adjustment, can meet the needs of all-round project.

Material: aluminum profile high heat conduction lamp body, optical PC aluminum cup integral lens

Applicable to: furniture stores, high-end clothing, jewelry, chain stores and other key lighting places.



ZLD-1009

WATT(W)	SIZE(mm)	CUTOUT(mm)	PF
W	Φ 147 × 62	Φ 127	0.5-0.9
W	Φ 195 × 67	Φ 175	0.5-0.9
W	Φ 230 × 67	Φ 200	0.5-0.9

#### SIZE FIGURE



### Description

Beam Angle: 12°, 24°, 40° is suitable for different scenarios of light distribution.

Light source: COB color rendering: 85/95

Level: 355°, 90° vertical adjustment, can meet the needs of all-round project.

Material: aluminum profile high heat conduction lamp body, optical PC aluminum cup integral lens

Applicable to: furniture stores, high-end clothing, jewelry, chain stores and other key lighting places.



ZLD-1010

WATT(W)	SIZE(mm)	CUTOUT(mm)	PF
20W	Φ 165 × 70	Φ 140	0.5-0.9
30W	Φ 210 × 67	Φ 185	0.5-0.9

#### SIZE FIGURE







## LED TRACK LAMP

### Description

Beam Angle: 12°, 24°, 40° is suitable for different scenarios of light distribution.

Light source: COB color rendering: 85/95

Level: 355°, 90° vertical adjustment, can meet the needs of all-round project.

Material: aluminum profile high heat conduction lamp body, optical PC aluminum cup integral lens

Applicable to: furniture stores, high-end clothing, jewelry, chain stores and other key lighting places.



### Description

Beam Angle: 12°, 24°, 40° is suitable for different scenarios of light distribution.

Light source: COB color rendering: 85/95

Level: 355°, 90° vertical adjustment, can meet the needs of all-round project.

Material: aluminum profile high heat conduction lamp body, optical PC aluminum cup integral lens

Applicable to: furniture stores, high-end clothing, jewelry, chain stores and other key lighting places.


ZLTR-1001



WATT(W)	SIZE(mm)	PF
30W × 2	255 × 135 × H220	0.5-0.9



### SIZE FIGURE







## LED TUBE LAMP

Its light source uses LED (usually patch) as the illuminant; It has the characteristics of instant start, environmental protection and energy saving, noise-free, long life and perfect substitute for traditional fluorescent lamp  
 Stable performance: drive power with international leading quality  
 Long life: it has a lifespan of 30,000 hours  
 Green: comply with RoHS directive  
 Scope of application: general lighting, office building, shopping mall, restaurant, school, family (ceiling slot), factory and other indoor lighting;

### Description

Its light source uses LED (usually patch) as the illuminant; It has the characteristics of instant start, environmental protection and energy saving, noise-free, long life and perfect substitute for traditional fluorescent lamp  
 Stable performance: drive power with international leading quality  
 Long life: it has a lifespan of 30,000 hours  
 Green: comply with RoHS directive  
 Scope of application: general lighting, office building, shopping mall, restaurant, school, family (ceiling slot), factory and other indoor lighting;



ZLB-1001

SIZE(mm)

1.2M

--	--	--	--	--



ZLT-8005R

WATT(W)    SIZE(mm)    PF

9W	600	0.5-0.9
14W	900	0.5-0.9
18W	1200	0.5-0.9

--	--	--	--	--



ZLT-8005





ZLT-8002

WATT(W)	SIZE(mm)	PF
9W	600	0.5-0.9
14W	900	0.5-0.9
18W	1200	0.5-0.9

180°

3000K  
4000K  
6500K

Ra>80

70-80Lm/W

Chip

LED  
2835 paster



ZLT-8003

WATT(W)	SIZE(mm)	PF
9W	600	0.5-0.9
14W	900	0.5-0.9
18W	1200	0.5-0.9
24W	1200	0.5-0.9
24W	1500	0.5-0.9

180°

3000K  
4000K  
6500K

Ra>80

70-80Lm/W

Chip

LED  
2835 paster



ZLT-8006

WATT(W)	SIZE(mm)	PF
9W	600	0.5-0.9
14W	900	0.5-0.9
18W	1200	0.5-0.9

180°

3000K  
4000K  
6500K

Ra>80

70-80Lm/W

Chip

LED  
2835 paster



ZLT-8007

WATT(W)	SIZE(mm)	PF
9W	600	0.5-0.9
18W	1200	0.5-0.9
9W	600	0.5-0.9
18W	1200	0.5-0.9

180°

3000K  
4000K  
6500K

Ra>80

70-80Lm/W

Chip

LED  
2835 paster



ZLT-1002

WATT(W)	SIZE(mm)	PF
9W	600	0.5-0.9
14W	900	0.5-0.9
18W	1200	0.5-0.9

180°

3000K  
4000K  
6500K

Ra>80

70-80Lm/W

Chip

LED  
2835 paster





ZLT-5003

WATT(W)	SIZE(mm)	PF
9W	600	0.5-0.9
14W	900	0.5-0.9
18W	1200	0.5-0.9

180°

3000K  
4000K  
6500K

Ra>80

70-80Lm/W

Chip

LED  
2835 paster



ZLT-5001

WATT(W)	SIZE(mm)	PF
5W	300	0.5-0.9
9W	600	0.5-0.9
14W	900	0.5-0.9
18W	1200	0.5-0.9

180°

3000K  
4000K  
6500K

Ra>80

70-80Lm/W

Chip

LED  
2835 paster



ZLT-5002

WATT(W)	SIZE(mm)	PF
9W	600	0.5-0.9
14W	900	0.5-0.9
18W	1200	0.5-0.9

180°

3000K  
4000K  
6500K

Ra>80

70-80Lm/W

Chip

LED  
2835 paster



ZLT-5004

WATT(W)	SIZE(mm)	PF
9W	600	0.5-0.9
14W	900	0.5-0.9
18W	1200	0.5-0.9

180°

3000K  
4000K  
6500K

Ra>80

70-80Lm/W

Chip

LED  
2835 paster





## LED TRI-PROOF LAMP

### Description

The Tri-proof light are generally used in the places with relatively strong corrosive, dusty and rainy industrial lighting demands, such as power plants, steel and iron, petrochemical, ships, venues, parking lots, basements, etc

Applicable to: furniture stores, high-end clothing, jewelry, chain stores and other key lighting places.



ZLPU-1002

WATT(W)	SIZE(mm)	PF
18W	46 × 29 × 600	0.5-0.9
27W	46 × 29 × 900	0.5-0.9
36W	46 × 29 × 1200	0.5-0.9



ZLPU-1003

WATT(W)	SIZE(mm)	PF
18W	75 × 21 × 600	0.5-0.9
27W	75 × 21 × 900	0.5-0.9
36W	75 × 21 × 1200	0.5-0.9



ZLPU-1005

WATT(W)	SIZE(mm)	PF
18W	75 × 21 × 600	0.5-0.9
28W	75 × 21 × 600	0.5-0.9
27W	75 × 21 × 900	0.5-0.9
36W	75 × 21 × 1200	0.5-0.9



ZLPU-1006

WATT(W)	SIZE(mm)	PF
18W	126 × 45 × 600	0.5-0.9
36W	126 × 45 × 1200	0.5-0.9





ZLTRI-1001

WATT(W)	SIZE(mm)	PF
27W	100 × 59 × 600	0.5-0.9
54W	100 × 59 × 900	0.5-0.9
72W	100 × 59 × 1200	0.5-0.9

					LED 2835 paster
--	--	--	--	--	--------------------



ZLTRI-1002

WATT(W)	SIZE(mm)	PF
18W	128 × 90 × 600	0.5-0.9
36W	128 × 90 × 1200	0.5-0.9
48W	128 × 90 × 1500	0.5-0.9

					LED 2835 paster
--	--	--	--	--	--------------------



ZLTRI-1003

SIZE(mm)	PF
95 × 100 × 600	0.5-0.9
95 × 100 × 1200	0.5-0.9

					LED 2835 paster
--	--	--	--	--	--------------------





# INDOOR DIMMER

## Description

Novel appearance: high cost performance, stable and safe, essential for home life  
 Safety protection: high performance alloy core, new stability  
 Material: imported flame retardant bulletproof PC material is adopted. It is very flexible and does not bend



## Description

Novel appearance: high cost performance, stable and safe, essential for home life  
 Safety protection: high performance alloy core, new stability  
 Material: imported flame retardant bulletproof PC material is adopted. It is very flexible and does not bend



INPUT	OUTPUT
180-265V 50Hz	DC72-86V 280mA ± 5%
180-265V 50Hz	DC45-68V 280mA ± 5%
180-265V 50Hz	DC27-45V 280mA ± 5%
180-265V 50Hz	DC9-22V 250-270mA ± 5%



LiFud LED DRIVER



Dimmer



LED Dimmable DRIVER

